

Refine Search

Search Results -

Terms	Documents
L12 and (truth near database)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L13

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Saturday, October 29, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L13</u>	L12 and (truth near database)	0	<u>L13</u>
<u>L12</u>	L11 and (automat\$6 near recovery)	3	<u>L12</u>
<u>L11</u>	L10 and (synchroniz\$6 near failure)	3	<u>L11</u>
<u>L10</u>	(L8 or L9) and (L4 or L6)	21	<u>L10</u>
<u>L9</u>	709/\$.ccls.	39979	<u>L9</u>
<u>L8</u>	707/\$.ccls.	30172	<u>L8</u>
<u>L7</u>	L6 and L3	0	<u>L7</u>
<u>L6</u>	L1 and L2	21	<u>L6</u>
<u>L5</u>	L4 and ((automat\$6 near recovery) same (synchroniz\$6 near failure))	0	<u>L5</u>
<u>L4</u>	L3 and (automat\$6 near recovery)	93	<u>L4</u>
<u>L3</u>	automat\$6 same recovery same synchroniz\$	794	<u>L3</u>
<u>L2</u>	action near (database or table)	2737	<u>L2</u>
<u>L1</u>	synchroniz\$6 near state\$1	6033	<u>L1</u>

Refine Search

Search Results -

Terms	Documents
L6 and L3	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L7

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Saturday, October 29, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name
result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L7</u>	L6 and L3	0	<u>L7</u>
<u>L6</u>	L1 and L2	21	<u>L6</u>
<u>L5</u>	L4 and ((automat\$6 near recovery) same (synchroniz\$6 near failure))	0	<u>L5</u>
<u>L4</u>	L3 and (automat\$6 near recovery)	93	<u>L4</u>
<u>L3</u>	automat\$6 same recovery same synchroniz\$	794	<u>L3</u>
<u>L2</u>	action near (database or table)	2737	<u>L2</u>
<u>L1</u>	synchroniz\$6 near state\$1	6033	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(L14 or L15 or L16 or L17) and L4	2

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L18

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Saturday, October 29, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L18</u>	(L14 or L15 or L16 or L17) and L4	2	<u>L18</u>
<u>L17</u>	715/500.1.ccls.	921	<u>L17</u>
<u>L16</u>	709/218.ccls.	1678	<u>L16</u>
<u>L15</u>	709/229.ccls.	2573	<u>L15</u>
<u>L14</u>	709/223-225.ccls.	9181	<u>L14</u>
<u>L13</u>	L12 and (truth near database)	0	<u>L13</u>
<u>L12</u>	L11 and (automat\$6 near recovery)	3	<u>L12</u>
<u>L11</u>	L10 and (synchroniz\$6 near failure)	3	<u>L11</u>
<u>L10</u>	(L8 or L9) and (L4 or L6)	21	<u>L10</u>
<u>L9</u>	709/\$.ccls.	39979	<u>L9</u>
<u>L8</u>	707/\$.ccls.	30172	<u>L8</u>
<u>L7</u>	L6 and L3	0	<u>L7</u>
<u>L6</u>	L1 and L2	21	<u>L6</u>
<u>L5</u>	L4 and ((automat\$6 near recovery) same (synchroniz\$6 near failure))	0	<u>L5</u>

<u>L4</u>	L3 and (automat\$6 near recovery)	93	<u>L4</u>
<u>L3</u>	automat\$6 same recovery same synchroniz\$	794	<u>L3</u>
<u>L2</u>	action near (database or table)	2737	<u>L2</u>
<u>L1</u>	synchroniz\$6 near state\$1	6033	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L19 and L4	1

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L20

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Saturday, October 29, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name
result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L20</u>	L19 and L4	1	<u>L20</u>
<u>L19</u>	709/246.ccls.	1380	<u>L19</u>
<u>L18</u>	(L14 or L15 or L16 or L17) and L4	2	<u>L18</u>
<u>L17</u>	715/500.1.ccls.	921	<u>L17</u>
<u>L16</u>	709/218.ccls.	1678	<u>L16</u>
<u>L15</u>	709/229.ccls.	2573	<u>L15</u>
<u>L14</u>	709/223-225.ccls.	9181	<u>L14</u>
<u>L13</u>	L12 and (truth near database)	0	<u>L13</u>
<u>L12</u>	L11 and (automat\$6 near recovery)	3	<u>L12</u>
<u>L11</u>	L10 and (synchroniz\$6 near failure)	3	<u>L11</u>
<u>L10</u>	(L8 or L9) and (L4 or L6)	21	<u>L10</u>
<u>L9</u>	709/\$.ccls.	39979	<u>L9</u>
<u>L8</u>	707/\$.ccls.	30172	<u>L8</u>
<u>L7</u>	L6 and L3	0	<u>L7</u>

<u>L6</u>	L1 and L2	21	<u>L6</u>
<u>L5</u>	L4 and ((automat\$6 near recovery) same (synchroniz\$6 near failure))	0	<u>L5</u>
<u>L4</u>	L3 and (automat\$6 near recovery)	93	<u>L4</u>
<u>L3</u>	automat\$6 same recovery same synchroniz\$	794	<u>L3</u>
<u>L2</u>	action near (database or table)	2737	<u>L2</u>
<u>L1</u>	synchroniz\$6 near state\$1	6033	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
(L14 or L15 or L16 or L17) and L6	2

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L21

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Saturday, October 29, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L21</u>	(L14 or L15 or L16 or L17) and L6	2	<u>L21</u>
<u>L20</u>	L19 and L4	1	<u>L20</u>
<u>L19</u>	709/246.ccls.	1380	<u>L19</u>
<u>L18</u>	(L14 or L15 or L16 or L17) and L4	2	<u>L18</u>
<u>L17</u>	715/500.1.ccls.	921	<u>L17</u>
<u>L16</u>	709/218.ccls.	1678	<u>L16</u>
<u>L15</u>	709/229.ccls.	2573	<u>L15</u>
<u>L14</u>	709/223-225.ccls.	9181	<u>L14</u>
<u>L13</u>	L12 and (truth near database)	0	<u>L13</u>
<u>L12</u>	L11 and (automat\$6 near recovery)	3	<u>L12</u>
<u>L11</u>	L10 and (synchroniz\$6 near failure)	3	<u>L11</u>
<u>L10</u>	(L8 or L9) and (L4 or L6)	21	<u>L10</u>
<u>L9</u>	709/\$.ccls.	39979	<u>L9</u>
<u>L8</u>	707/\$.ccls.	30172	<u>L8</u>

<u>L7</u>	L6 and L3	0	<u>L7</u>
<u>L6</u>	L1 and L2	21	<u>L6</u>
<u>L5</u>	L4 and ((automat\$6 near recovery) same (synchroniz\$6 near failure))	0	<u>L5</u>
<u>L4</u>	L3 and (automat\$6 near recovery)	93	<u>L4</u>
<u>L3</u>	automat\$6 same recovery same synchroniz\$	794	<u>L3</u>
<u>L2</u>	action near (database or table)	2737	<u>L2</u>
<u>L1</u>	synchroniz\$6 near state\$1	6033	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L6 and L5	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L7

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Saturday, October 29, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L7</u>	L6 and L5	0	<u>L7</u>
<u>L6</u>	"synchronizing states"	771	<u>L6</u>
<u>L5</u>	L4 and synchroniz\$6	39	<u>L5</u>
<u>L4</u>	(effective near action) and (database or db)	243	<u>L4</u>
<u>L3</u>	L1 and L2	0	<u>L3</u>
<u>L2</u>	creat\$3 same (action near (database or db)) same account\$	19	<u>L2</u>
<u>L1</u>	creat\$3 same (database or db) same synchroniz\$6	1637	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L8 and L2	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L9

Refine Search

Recall Text

Clear

Interrupt

Search History

DATE: Saturday, October 29, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query
 side by side

Hit Count Set Name
 result set

DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR

<u>L9</u>	L8 and L2	0	<u>L9</u>
<u>L8</u>	(effective near action) same (database or db)	14	<u>L8</u>
<u>L7</u>	L6 and L5	0	<u>L7</u>
<u>L6</u>	"synchronizing states"	771	<u>L6</u>
<u>L5</u>	L4 and synchroniz\$6	39	<u>L5</u>
<u>L4</u>	(effective near action) and (database or db)	243	<u>L4</u>
<u>L3</u>	L1 and L2	0	<u>L3</u>
<u>L2</u>	creat\$3 same (action near (database or db)) same account\$	19	<u>L2</u>
<u>L1</u>	creat\$3 same (database or db) same synchroniz\$6	1637	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L1 and L4	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L5

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Saturday, October 29, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u> side by side	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L5</u> L1 and L4	0	<u>L5</u>
<u>L4</u> L2 and L3	21	<u>L4</u>
<u>L3</u> action near (database or db or table)	2780	<u>L3</u>
<u>L2</u> synchroniz\$6 near state\$1 (4866611 or 5327555 or 5566069 or 5598536 or 5649195 or 5666530 or 5684990 or 5706509 or 5710922 or 5727159 or 5727202 or 5742820 or 5761439 or 5832489 or 5884323 or 5928329 or 5974238 or 6000000 or 6006274 or 6044381 or 6052735 or 6125369 or 6131096 or 6151606 or 6212529 or 6223187 or 6516327).pn.	6033	<u>L2</u>
<u>L1</u> 5761439 or 5832489 or 5884323 or 5928329 or 5974238 or 6000000 or 6006274 or 6044381 or 6052735 or 6125369 or 6131096 or 6151606 or 6212529 or 6223187 or 6516327).pn.	52	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
L6 and (synchroniz\$6 near failure)	0

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L7

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Saturday, October 29, 2005 [Printable Copy](#) [Create Case](#)

<u>Set</u> <u>Name</u> <u>Query</u> side by side	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L7</u> L6 and (synchroniz\$6 near failure)	0	<u>L7</u>
<u>L6</u> L1 and L2	2	<u>L6</u>
<u>L5</u> L1 and L4	0	<u>L5</u>
<u>L4</u> L2 and L3	21	<u>L4</u>
<u>L3</u> action near (database or db or table)	2780	<u>L3</u>
<u>L2</u> synchroniz\$6 near state\$1 (4866611 or 5327555 or 5566069 or 5598536 or 5649195 or 5666530 or 5684990 or 5706509 or 5710922 or 5727159 or 5727202 or 5742820 or 5761439 or 5832489 or 5884323 or 5928329 or 5974238 or 6000000 or 6006274 or 6044381 or 6052735 or 6125369 or 6131096 or 6151606 or 6212529 or 6223187 or 6516327).pn.	6033	<u>L2</u>
<u>L1</u> 5761439 or 5832489 or 5884323 or 5928329 or 5974238 or 6000000 or 6006274 or 6044381 or 6052735 or 6125369 or 6131096 or 6151606 or 6212529 or 6223187 or 6516327).pn.	52	<u>L1</u>

END OF SEARCH HISTORY

12/1
10-19-05[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((synchroniz* <near> failure) <and> (effective <near> action))<in>metadata)"

e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

Display Format:



Citation



Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privac](#)

© Copyright 2005 IE

10-14-05

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#)

Welcome United States Patent and Trademark Office

☐ Search Results[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((synchroniz* <near> failure) <and> (effective <near> database))<in>metadat..."

Your search matched 0 documents.

e-mail

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)[New Search](#)

Modify Search

☐ Check to search only within this results set

Display Format:



Citation



Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help pages if you need assistance revising your search

Indexed by
 Inspec[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IE

1/24/10-29-05


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((synchroniz* <near> state) <and> (effective <near> action))<in>metadata)"

☐ e-mail

Your search matched 5 of 1250969 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search


☐ Check to search only within this results set

Display Format:



Citation



Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information



1. Impact of workload and system parameters on next generation cluster scheduling mechanis

Yanyong Zhang; Sivasubramaniam, A.; Moreira, J.; Franke, H.;
Parallel and Distributed Systems, IEEE Transactions on
Volume 12, Issue 9, Sept. 2001 Page(s):967 - 985
Digital Object Identifier 10.1109/71.954632

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(2448 KB) IEEE JNL


2. Constructing communication subgraphs and deriving an optimal synchronization interval for environment systems

Lui, J.C.S.;
Knowledge and Data Engineering, IEEE Transactions on
Volume 13, Issue 5, Sept.-Oct. 2001 Page(s):778 - 792
Digital Object Identifier 10.1109/69.956100

[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(360 KB) IEEE JNL


3. Adaptive Counting Networks

Tirthapura, S.;
Distributed Computing Systems, 2005. ICDCS 2005. Proceedings. 25th IEEE International Conference on
06-10 June 2005 Page(s):241 - 250
Digital Object Identifier 10.1109/ICDCS.2005.10

[AbstractPlus](#) | Full Text: [PDF](#)(184 KB) IEEE CNF


4. Methodological issues of real time data acquisition from multiple sources of physiological data

Vick, R.M.; Ikehara, C.S.;
System Sciences, 2003. Proceedings of the 36th Annual Hawaii International Conference on
6-9 Jan 2003 Page(s):7 pp.
Digital Object Identifier 10.1109/HICSS.2003.1174295

[AbstractPlus](#) | Full Text: [PDF](#)(697 KB) IEEE CNF


5. Blind algorithms for joint clock recovery and baseband combining in digital radio

Guglielmi, F.; Luschi, C.; Spalvieri, A.;
Radio Relay Systems, 1993., Fourth European Conference on
11-14 Oct 1993 Page(s):279 - 286

[AbstractPlus](#) | Full Text: [PDF](#)(412 KB) IEEE CNF



[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IEEE

12/29/05
10-29-05


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alt](#)

Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((synchroniz* <near> state) <paragraph> (effective <near> action))<in>metad..."

Your search matched 3 of 1250969 documents.

A maximum of 100 results are displayed, 25 to a page, sorted by Relevance in Descending order.

☒ e-mail

» Search Options

[View Session History](#)
[New Search](#)

Modify Search


☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL IEEE Journal or Magazine
 IEE JNL IEE Journal or Magazine
 IEEE CNF IEEE Conference Proceeding
 IEE CNF IEE Conference Proceeding
 IEEE STD IEEE Standard

Select Article Information

- ☐ 1. **Constructing communication subgraphs and deriving an optimal synchronization interval for environment systems**
 Lui, J.C.S.;
 Knowledge and Data Engineering, IEEE Transactions on
 Volume 13, Issue 5, Sept.-Oct. 2001 Page(s):778 - 792
 Digital Object Identifier 10.1109/69.956100
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(360 KB\)](#) IEEE JNL
- ☐ 2. **Methodological issues of real time data acquisition from multiple sources of physiological data**
 Vick, R.M.; Ikehara, C.S.;
 System Sciences, 2003. Proceedings of the 36th Annual Hawaii International Conference on
 6-9 Jan 2003 Page(s):7 pp.
 Digital Object Identifier 10.1109/HICSS.2003.1174295
[AbstractPlus](#) | Full Text: [PDF\(697 KB\)](#) IEEE CNF
- ☐ 3. **Blind algorithms for joint clock recovery and baseband combining in digital radio**
 Guglielmi, F.; Luschi, C.; Spalvieri, A.;
 Radio Relay Systems, 1993., Fourth European Conference on
 11-14 Oct 1993 Page(s):279 - 286
[AbstractPlus](#) | Full Text: [PDF\(412 KB\)](#) IEE CNF


[Help](#) [Contact Us](#) [Privacy](#)

© Copyright 2005 IEEE

 Indexed by

12/10-14-05



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"synchronizing states" + "updating truth database" + "effective"



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used synchronizing states updating truth database effective action database atomic transaction

Found 1 of 166,357

Sort results by

relevance

Display results

expanded form

[Save results to a Binder](#)

[Search Tips](#)

☐ [Open results in a new window](#)

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Synthesis of extended transaction models using ACTA](#)



Panos K. Chrysanthis, Krithi Ramamritham

September 1994 **ACM Transactions on Database Systems (TODS)**, Volume 19 Issue 3

Publisher: ACM Press

Full text available: [pdf\(2.87 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

ACTA is a comprehensive transaction framework that facilitates the formal description of properties of extended transaction models. Specifically, using ACTA, one can specify and reason about (1) the effects of transactions on objects and (2) the interactions between transactions. This article presents ACTA as a tool for the synthesis of extended transaction models, one which supports the development and analysis of new extended transaction models in a systematic manner. Her ...

Keywords: concurrency control, correctness criteria, semantics, serializability theory, transaction models

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

12/10-14-05



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"synchronizing states" + "updating truth database" + "effective"

SEARCH

THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [synchronizing states](#) [updating truth database](#) [effective action database](#) [offline previous synchronization](#) [atomic transaction](#)

Found 1 of 166,357

Sort results by



[Save results to a Binder](#)

Try an [Advanced Search](#)

Display results



[Search Tips](#)

Try this search in [The ACM Guide](#)

☐ Open results in a new window

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Synthesis of extended transaction models using ACTA](#)



Panos K. Chrysanthis, Krithi Ramamritham

September 1994 **ACM Transactions on Database Systems (TODS)**, Volume 19 Issue 3

Publisher: ACM Press

Full text available: [pdf\(2.87 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

ACTA is a comprehensive transaction framework that facilitates the formal description of properties of extended transaction models. Specifically, using ACTA, one can specify and reason about (1) the effects of transactions on objects and (2) the interactions between transactions. This article presents ACTA as a tool for the synthesis of extended transaction models, one which supports the development and analysis of new extended transaction models in a systematic manner. Her ...

Keywords: concurrency control, correctness criteria, semantics, serializability theory, transaction models

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

10-6-01
10-6-01
10-6-01



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"synchronizing states" + "updating truth database" + "creating



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [synchronizing states](#) [updating truth database](#) [creating effective action database](#) [offline previous synchronization](#) [atomic transaction](#)

Found 1 of 166,357

Sort results by

relevance



[Save results to a Binder](#)

[Try an Advanced Search](#)

Display results

expanded form



[Search Tips](#)

[Try this search in The ACM Guide](#)

☐ Open results in a new window

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Synthesis of extended transaction models using ACTA](#)



Panos K. Chrysanthis, Krithi Ramamritham

September 1994 **ACM Transactions on Database Systems (TODS)**, Volume 19 Issue 3

Publisher: ACM Press

Full text available: [pdf\(2.87 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

ACTA is a comprehensive transaction framework that facilitates the formal description of properties of extended transaction models. Specifically, using ACTA, one can specify and reason about (1) the effects of transactions on objects and (2) the interactions between transactions. This article presents ACTA as a tool for the synthesis of extended transaction models, one which supports the development and analysis of new extended transaction models in a systematic manner. Her ...

Keywords: concurrency control, correctness criteria, semantics, serializability theory, transaction models

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

12/10-19-05



[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"synchronizing states" + "plurality devices" + "updating truth database"

SEARCH

THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [synchronizing states](#) [plurality devices](#) [updating truth database](#) [effective action database](#) [atomic transaction](#)

Found 1 of 166,357

Sort results by



[Save results to a Binder](#)

Display results



[Search Tips](#)

☐ Open results in a new window

Try an [Advanced Search](#)

Try this search in [The ACM Guide](#)

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Synthesis of extended transaction models using ACTA](#)



Panos K. Chrysanthis, Krithi Ramamritham

September 1994 **ACM Transactions on Database Systems (TODS)**, Volume 19 Issue 3

Publisher: ACM Press

Full text available: [pdf\(2.87 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

ACTA is a comprehensive transaction framework that facilitates the formal description of properties of extended transaction models. Specifically, using ACTA, one can specify and reason about (1) the effects of transactions on objects and (2) the interactions between transactions. This article presents ACTA as a tool for the synthesis of extended transaction models, one which supports the development and analysis of new extended transaction models in a systematic manner. Her ...

Keywords: concurrency control, correctness criteria, semantics, serializability theory, transaction models

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Windows Media Player](#) [Real Player](#)

12/24-05



[Subscribe](#) (Full Service) [Register](#) (Limited Service, Free) [Login](#)

Search: ☒ The ACM Digital Library ☐ The Guide

"synchronizing states" + "plurality devices" + "updating truth"



THE ACM DIGITAL LIBRARY



[Feedback](#) [Report a problem](#) [Satisfaction survey](#)

Terms used [synchronizing states](#) [plurality devices](#) [updating truth database](#) [truth state data effective action database](#) [atomic transaction](#)

Found 1 of 166,357

Sort results by

relevance



[Save results to a Binder](#)

[Try an Advanced Search](#)

Try this search in [The ACM Guide](#)

Display results

expanded form



[Search Tips](#)

☐ Open results in a new window

Results 1 - 1 of 1

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Synthesis of extended transaction models using ACTA](#)



Panos K. Chrysanthis, Krithi Ramamritham

September 1994 **ACM Transactions on Database Systems (TODS)**, Volume 19 Issue 3

Publisher: ACM Press

Full text available: [pdf\(2.87 MB\)](#)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

ACTA is a comprehensive transaction framework that facilitates the formal description of properties of extended transaction models. Specifically, using ACTA, one can specify and reason about (1) the effects of transactions on objects and (2) the interactions between transactions. This article presents ACTA as a tool for the synthesis of extended transaction models, one which supports the development and analysis of new extended transaction models in a systematic manner. Her ...

Keywords: concurrency control, correctness criteria, semantics, serializability theory, transaction models

Results 1 - 1 of 1

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.
[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:



[Adobe Acrobat](#)



[QuickTime](#)



[Windows Media Player](#)



[Real Player](#)